


ABSTRACT

This invention provides a compound of the formula:



or its pharmaceutically acceptable salt thereof, wherein A is partially unsaturated or
 5 unsaturated five membered heterocyclic, or partially unsaturated or unsaturated five
 membered carbocyclic, wherein the 4-(sulfonyl)phenyl and the 4-substituted phenyl in
 the formula (I) are attached to ring atoms of Ring A, which are adjacent to each other;
 R¹ is optionally substituted aryl or heteroaryl, with the proviso that when A is pyrazole,
 R¹ is heteroaryl; R² is C₁₋₄ alkyl, halo-substituted C₁₋₄ alkyl, C₁₋₄ alkylamino, C₁₋₄
 10 dialkylamino or amino; R³, R⁴ and R⁵ are independently hydrogen, halo, C₁₋₄ alkyl,
 halo-substituted C₁₋₄ alkyl or the like; or two of R³, R⁴ and R⁵ are taken together with
 atoms to which they are attached and form a 4-7 membered ring; R⁶ and R⁷ are
 independently hydrogen, halo, C₁₋₄ alkyl, halo-substituted C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄
 alkylthio, C₁₋₄ alkylamino or N,N-di C₁₋₄ alkylamino; and m and n are independently 1,
 15 2, 3 or 4.

This invention also provides a pharmaceutical composition useful for the
 treatment of a medical condition in which prostaglandins are implicated as pathogens.